Marine BEAR

OFFERING CUSTOMIZED SOLUTIONS FOR THE GALLEYS

The Marine BEAR is built like a ship: To keep the water out – and to last for decades



Everything we make is meant



BEAR Varimixer is known worldwide for being synonymous with strength and durability. Just like the ships that the Marine BEAR mixer is made for.

For decades marine customers have appreciated our ability to provide mixers for all types of power supply. The mixer offers intuitive operation and a simple construction for easy service maintenance.

Hygiene has become an increasingly important focus area for our customers. To meet your demands, we have taken further initiatives to make the mixer water resistant and easier to clean.

All of the following features can be applied in a marine package to upgrade the standard mixer to a Marine BEAR. The Marine BEAR will comply with USPHS requirements.





- Strong as a BEAR



CONTROL PANELS

MIXER SIZE	Control Panel	Manual speed regulation	Electrical speed regulation	Timer with auto- stop	Manual bowl lowering	Electrical bowl lowering	Automatic bowl lowering	Program- mable, Remix	Pause function	Emergency stop
10 L 20 L	VL-2	-	V	\checkmark	\checkmark	-	-	V	\checkmark	\checkmark
30 L 40 L 60 L	VL-1	V	-	V	\checkmark	-	-	-	-	\checkmark
30 L 40 L 60 L	VL-1S	-	V	V	-	V	\checkmark	-	\checkmark	\checkmark

TECHNICAL DATA


Model	Marine BEAR IP grade	Volume Liter	B- equipment Liter	Power kW	Voltage	Frequency	Net weight kg	Variable speed RPM	Meat Mincer	Vegetable cutter
RN10 table	IP44	10		0.7	Volta avail	" <u>З</u>	51	110 - 420	62+70 mm	3VC+GR10
RN10 floor	IP44	10	-	0.7			63	110 - 420	62+70 mm	3VC+GR10
RN20 table	IP44	20	12	1.2	ige 100	are 50 Hz	82	98 - 375	70+82 mm	GR20
RN20 floor	IP44	20	12	1.2		_ @ <u>`</u>	87	98 - 375	70+82 mm	GR20
AR30	IP44	30	15	1.0	n th	BEAI waila and	170	57 - 311	70+82 mm	GR20
AR40	IP44	40	20	1.1	» م 4	able 60	180	53 - 294	70+82 mm	GR20
AR40P (PIZZA)	IP44	40	20	1.85		nixe e in) Hz.	180	53 - 294	70+82 mm	GR20
AR60	IP44	60	30	1.85	U ·	r. ers	275	53 - 288	70+82 mm	GR20
AR60P (PIZZA)	IP44	60	30	3.0	are of		275	53 - 288	70+82 mm	GR20


LAYOUT DRAWINGS

8

8

DIMENSIONS RN10






Manufacturer:



A/S Wodschow & Co. Industrisvinget 6, DK-2605 Brøndby, Denmark Phone: +45 43 44 22 88 Fax: +45 43 43 12 80 E-mail: info@wodschow.dk


DIMENSIONS RN20 DIMENSIONS AR30






919

DIMENSIONS AR60









Sveba-Dahlen Group